Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	( "6;560,450" B1).pn.	USPAT	OR	OFF	2004/12/17 11:33
L2	1	( "6,578,147" B1).pn.	USPAT	OR	OFF	2004/12/17 11:12
L3	3	(pipeline\$1 with iteration same process\$6).ab.	USPAT	OR	OFF	2004/12/17 11:34
S1	0	( event with (remote near4 devices) with consumer).ab.	USPAT	OR	OFF	2004/12/15 10:00
S2	0	( event with (remote near4 devices) with consumer\$1)	USPAT	OR	OFF	2004/04/05 13:30
S3	0	( event with (remote near4 devices) same consumer\$1)	USPAT	OR	OFF	2004/04/05 13:30
S4	0	( event\$1 with (remote near4 devices) same consumer\$1)	USPAT	OR	OFF	2004/04/05 13:44
S5	200	(719/318).CCLS.	USPAT; USOCR	OR	OFF	2004/04/05 13:45
S6	0	((719/318).CCLS.) & ( remote with (device\$1 or computer\$1) with event\$1).ab.	USPAT	OR	OFF	2004/04/05 13:46
S7	10	((719/318).CCLS.) & ( remote with (device\$1 or computer\$1) with event\$1)	USPAT	OR	OFF	2004/04/05 13:46
S53	9	( header with call\$6 with message\$1).ab.	USPAT	OR	OFF	2004/12/15 10:03
S54	10	( header with call\$6 with ( message\$1 or email\$1 or e-mail\$1 or (e adj1 mail\$1)) ).ab.	USPAT	OR	OFF	2004/12/15 10:04
S55	481	(719/328).CCLS.	USPAT	OR	OFF	2004/12/15 10:04
S56	544	( header with call\$6 with ( message\$1 or email\$1 or e-mail\$1 or (e adj1 mail\$1)))	USPAT	OR	OFF	2004/12/15 10:04
S57	63	( header with call\$6 with ( message\$1 or email\$1 or e-mail\$1 or (e adj1 mail\$1)) ) & API	USPAT	OR	OFF	2004/12/15 10:06
S58	5	S55 & S57	USPAT	OR	OFF	2004/12/15 10:05
S59	10	( header\$1 with call\$6 with ( message\$1 or email\$1 or e-mail\$1 or (e adj1 mail\$1)) ) same API	USPAT	OR	OFF	2004/12/15 17:11
S60	1	( header\$1 with call\$6 with ( message\$1 or email\$1 or e-mail\$1 or (e adj1 mail\$1)) ) same API same ( encod\$6 or decod\$6)	USPAT	OR	OFF	2004/12/15 10:07
S61	21	( header\$1 with ( message\$1 or email\$1 or e-mail\$1 or (e adj1 mail\$1)) ) same API same ( encod\$6 or decod\$6)	USPAT	OR	OFF	2004/12/15 11:16
S62	. 1	( "6,292,187" B1).pn.	USPAT	OR	OFF	2004/12/15 11:16

S63	0	( header\$1 with packect\$3 with api).AB.	USPAT	OR	OFF	2004/12/15 17:28
S64	0	( header\$1 with packect\$3 with api)	USPAT	OR	OFF	2004/12/15 17:12
S65	0	( header\$1 with packet\$3 with api). AB.	USPAT	OR	OFF	2004/12/15 17:13
S66	18	( header\$1 with packet\$3 with api)	USPAT	OR	OFF	2004/12/15 17:21
S67	4	( header\$1 with packet\$3 with call\$6 SAME api)	USPAT	OR	OFF	2004/12/15 17:23
S68	56	( header\$1 with packet\$3 SAME api)	USPAT	OR	OFF	2004/12/15 17:23
S69	1	( header\$1 with packet\$3 SAME api).ab.	USPAT	OR	OFF	2004/12/15 17:26
S70	1	( header\$1 with packet\$3 with call\$6 same decod\$6 ).ab.	USPAT	OR	OFF	2004/12/15 17:27
S71	0	S70 same API	USPAT	OR	OFF	2004/12/15 17:27
S72	0	S70 & API	USPAT	OR	OFF	2004/12/15 17:27
S73	1	( header\$1 with packet\$3 with call\$6 same decod\$6 same API )	USPAT	OR	OFF	2004/12/15 17:28
S74	0	( header\$1 with api).AB.	USPAT	OR	OFF	2004/12/15 17:29
S75	3	( header\$1 same api).AB.	USPAT	OR	OFF	2004/12/15 17:29
S76	8	( header\$1 with ( decod\$6 or encod\$6 or transform\$6 or convert\$6 ) with api)	USPAT	OR	OFF	2004/12/15 17:32
S77	21	( header\$1 with ( decod\$6 or encod\$6 or transform\$6 or convert\$6 ) same api)	USPAT	OR	OFF	2004/12/15 18:16
S78	144	( packet\$6 with ( check\$6 or verif\$6) same network\$6 ).ab.	USPAT	OR	OFF	2004/12/15 18:17
S79	2	( packet\$6 with ( check\$6 or verif\$6) same network\$6 same redirect\$6 ).ab.	USPAT	OR	OFF	2004/12/16 11:30
S80	3	( packet\$6 with ( check\$6 or verif\$6) same redirect\$6 ).ab.	USPAT	OR	OFF	2004/12/16 09:52
S81	37	( packet\$6 with ( check\$6 or verif\$6) same redirect\$6 )	USPAT	OR	OFF	2004/12/16 10:01
S82	1	( packet\$6 with ( check\$6 or verif\$6) with format\$6 same redirect\$6)	USPAT	OR	OFF	2004/12/16 16:34
S83	2	( ( packet\$6 or message\$1) with ( check\$6 or verif\$6) with format\$6 same redirect\$6)	USPAT	OR	OFF	2004/12/16 10:03
S84	129	( ( packet\$6 or message\$1) with format\$6 same redirect\$6 )	USPAT	OR	OFF	2004/12/16 10:03
S85	2	( ( packet\$6 or message\$1) with format\$6 same redirect\$6 ).ab.	USPAT	OR	OFF	2004/12/16 10:07

S86	3	( ( packet\$6 or message\$1) with redirect\$6 same correspond\$6 ).ab.	USPAT	OR	OFF	2004/12/16 10:10
S87	3	( ( packet\$6 or message\$1) with redirect\$6 & correspond\$6 ).ab.	USPAT	OR	OFF	2004/12/16 10:10
S88	78	( ( packet\$6 or message\$1) with redirect\$6 same correspond\$6 )	USPAT	OR	OFF	2004/12/16 10:11
S89	57	( ( packet\$6 or message\$1) with correspond\$6 same redirect\$6 )	USPAT	OR	OFF	2004/12/16 10:12
S90	3	( ( packet\$6 or message\$1) with correspond\$6 same redirect\$6 ).ab.	USPAT	OR	OFF	2004/12/16 10:12
S91	27	( ( packet\$6 or message\$1) with correspond\$6 with redirect\$6 )	USPAT	OR	OFF	2004/12/16 10:30
S92	122	( ( packet\$6 or message\$1) with redirect\$6 ).ab.	USPAT	OR	OFF	2004/12/16 10:30
S93	8	( ( packet\$6 or message\$1) with	USPAT	OR	OFF	2004/12/16 10:33
		redirect\$6 same ( encrypt\$6 or decrypt\$3 or decod\$6 or encod\$6)	$=\frac{\cos^{-\frac{1}{2}}\tilde{\lambda}^{\frac{1}{2}}}{1},  A = 0$		1.0	
		).ab.			± = €	
S94	46	( ( packet\$6 or message\$1) with correspond\$6 same ( encrypt\$6 or decrypt\$3 or decod\$6 or encod\$6) ).ab.	USPAT	OR	OFF	2004/12/16 15:40
S95	14	S94 & ( redirect\$6 or rout\$6)	USPAT	OR	OFF	2004/12/16 10:35
S96	62	( ( packet\$6 or message\$1) with (correspond\$6 or match\$6 ) same filter\$6 ).ab.	USPAT	OR	OFF	2004/12/16 10:49
S97	52	S96 & network\$6	USPAT	OR	OFF	2004/12/16 10:46
S98	0	( ( packet\$6 or message\$1) with (correspond\$6 or match\$6 ) same filter\$6 same if ).ab.	USPAT	OR	OFF	2004/12/16 10:46
S99	0	( ( packet\$6 or message\$1) with (correspond\$6 or match\$6 ) same if ).ab.	USPAT	OR	OFF	2004/12/16 10:46
S10 0	1	( ( packet\$6 or message\$1) with (correspond\$6 or match\$6 ) same filter\$6 & (re-rout\$6 or redirect\$6) ).ab.	USPAT	OR	OFF	2004/12/16 11:21
S10 1	8	( ( packet\$6 or message\$1) with (correspond\$6 or match\$6 ) same filter\$6 same (re-rout\$6 or redirect\$6) )	USPAT	OR	OFF	2004/12/16 11:05
S10 2	13	( ( packet\$6 or message\$1) same filter\$6 same (re-rout\$6 or redirect\$6) same secur\$6)	USPAT	OR	OFF	2004/12/16 11:07
S10 3	6	( ( packet\$6 or message\$1) with filter\$6 with (re-rout\$6 or redirect\$6) same secur\$6 )	USPAT	OR	OFF	2004/12/16 11:11

S10 4	102	( ( packet\$6 or message\$1) with (re-rout\$6 or redirect\$6) same secur\$6)	USPAT	OR	OFF	2004/12/16 11:11
S10 5	6	( ( packet\$6 or message\$1) with (re-rout\$6 or redirect\$6) same secur\$6).ab.	USPAT	OR	OFF	2004/12/16 11:13
S10 6	462	(718/105).CCLS.	USPAT	OR	OFF	2004/12/16 11:12
S10 7	0	S106 & ( ( packet\$6 or message\$1)with filter\$6 same secur\$6 ).ab.	USPAT	OR °	OFF	2004/12/16 11:13
S10 8	0	S106 & ( ( packet\$6 or message\$1)with filter\$6 & secur\$6 ).ab.	USPAT	OR	OFF	2004/12/16 11:13
S10 9	1	S106 & ( ( packet\$6 or message\$1)with filter\$6 ).ab.	USPAT	OR	OFF	2004/12/16 11:17
S11 0	0	S106 & ( ( packet\$6 or message\$1) with correspond\$6 with ( encrypt\$6 or decrypt\$3 or decod\$6 or encod\$6) )	USPAT	OR	OFF	2004/12/16 11:18
S11 1	851	( ( packet\$6 or message\$1) with correspond\$6 with ( encrypt\$6 or decrypt\$3 or decod\$6 or encod\$6) )	USPAT	OR	OFF	2004/12/16 11:19
S11 2	3829	( packet\$6 or message\$1)with ethernet	USPAT	OR	OFF	2004/12/16 11:19
S11 3	136	( ( packet\$6 or message\$1)with ethernet ).ab.	USPAT	OR	OFF	2004/12/16 11:19
S11 4	2	( ( packet\$6 or message\$1)with ethernet with next ).ab.	USPAT	OR	OFF	2004/12/16 11:20
S11 5	4	( (correspond\$6 or match\$6 ) same filter\$6 & (re-rout\$6 or redirect\$6) ).ab.	USPAT	OR	OFF	2004/12/16 11:21
S11 6	9	( filter\$6 same (re-rout\$6 or redirect\$6) same ( secur\$6) ).ab.	USPAT	OR	OFF	2004/12/16 11:29
S11 7	135	( filter\$6 same (re-rout\$6 or redirect\$6) ).ab.	USPAT	OR	OFF	2004/12/16 11:30
S11 8	60	S117 & secur\$6	USPAT	OR	OFF	2004/12/16 11:29
S11 9	7	S117 & secur\$6 & ( packect\$6 or messag\$6)	USPAT	OR	OFF	2004/12/16 11:30
S12 0	15	( packet\$6 with ( check\$6 or verif\$6 or if or determin\$6) same redirect\$6 ).ab.	USPAT	OR	OFF	2004/12/16 15:48
S12 1	1650	( packet\$6 with ( check\$6 or verif\$6 or if or determin\$6) ).ab.	USPAT	OR	OFF	2004/12/16 11:31

S12 2	455	(( packet\$6 or messag\$6) with ( check\$6 or verif\$6 or if or determin\$6) same ( redirect\$6 or re-routing or direct\$6 or	USPAT	OR	OFF	2004/12/16 11:36
S12 3	101	forwad\$6)).ab. S122 & secur\$6	USPAT	OR	OFF	2004/12/16 11:37
S12	140	(713/190).CCLS.	USPAT	OR	OFF	2004/12/16 11:36
S12 5	0	S122 & S124	USPAT	OR	OFF	2004/12/16 11:36
S12 6	46	S122 & ( encrypt\$6 or decryt\$6)	USPAT	OR	OFF	2004/12/16 11:38
S12 7	0	S122 & ( encrypt\$6 & decryt\$6)	USPAT	OR	OFF	2004/12/16 11:37
S12 8	193	S122 & ( encod\$6 or decod\$6 )	USPAT	OR	OFF	2004/12/16 11:38
S12 9	80	S122 & ( encod\$6 & decod\$6 )	USPAT	OR	OFF	2004/12/16 11:38
S13 0	10	S122 & packet\$3 with ( encod\$6 & decod\$6 )	USPAT	OR	OFF	2004/12/16 11:38
S13 1	2	( ( packet\$6 or message\$1) with redirect\$6 same parallel ).ab.	USPAT	OR	OFF	2004/12/16 15:42
S13 2	6429	( ( packet\$6 or message\$1) with parallel )	USPAT	OR	OFF	2004/12/16 15:43
S13 3	455	( packet\$6 or message\$1) with parallel ).ab.	USPAT	OR	OFF	2004/12/16 15:43
S13 4	63	( packet\$6 with ( check\$6 or verif\$6 or if or determin\$6) same parallel ). ab.	USPAT	OR	OFF	2004/12/16 16:22
S13 5	16	( packet\$6 with ( check\$6 or verif\$6 or if or determin\$6) with parallel ).	USPAT	OR	OFF	2004/12/16 16:15
S13 6	43	( ( packet\$6 or message\$1) same ( check\$6 or verif\$6 or if or determin\$6) with parallel ).ab.	USPAT	OR	OFF	2004/12/16 16:23
S13 7	109	( (packet\$6 or message\$1) with ( check\$6 or verif\$6 or determin\$6) same parallel).ab.	USPAT	OR	OFF	2004/12/16 16:36
S13 8	24	( (packet\$6 or message\$1) with ( check\$6 or verif\$6 or determin\$6) with parallel).ab.	USPAT	OR	OFF	2004/12/16 16:39
S13 9	462	(718/105).CCLS.	USPAT	OR	OFF	2004/12/16 16:40
S14 0	25	S139 & ( parallel with ( check\$6 or verif\$6 or determin\$6))	USPAT	OR	OFF	2004/12/17 09:28

	S14	1	( "6,560,450" B1).pn.	USPAT	OR	OFF	2004/12/17 11:11
1	1						